

VERBATIM

Hub USB-C Verbatim 32156, 6 Porta, HDMI 4K 30Hz, USB-A 3.2 Gen 1, USB-A 2.0, USB-C PD 100W, SD, microSD – Gri

SKU: 14003876 · EAN: 0023942321569

SPECIFIKAT TEKNIKE	
59 specifikat e produktit	
ATRIBUTI	VLERA
Ports & interfaces	
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
Hub interfaces	HDMI, USB 2.0 Type-A, USB 3.2 Gen 1 (3.1 Gen 1) Type-A
USB 2.0 ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
HDMI ports quantity	1
Ports quantity	6
Feature	Card reader integrated
Card reader slot	2
Compatible memory cards	MicroSD (TransFlash), MicroSDHC, MicroSDXC, SD, SDHC, SDXC
Features	
Data transfer rate	5000 Mbit/s
Supported graphics resolutions	3840 x 2160
Maximum resolution (HDMI)	3840 x 2160 pixels
Product colour	Grey
Housing material	Acrylonitrile butadiene styrene (ABS), Aluminium
Feature	USB Power Delivery (USB PD)
USB Power Delivery revision	3.0
USB Power Delivery up to	100 W
HD type	4K Ultra HD
Number of displays supported	1
Cable type	Round cable
Cable length	0.15 m
Feature	Plug and Play
Country of origin	China
Power	
Power supply type	USB

Input voltage	5 - 20 V
Output voltage	5 V
Output current	0.9 A
System requirements	
Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8
Linux operating systems supported	Yes
Other operating systems supported	Android
Weight & dimensions	
Width	29.7 mm
Depth	1122 mm
Height	11 mm
Weight	56 g
Packaging data	
Quantity per pack	1 pc(s)
Package width	85 mm
Package depth	155 mm
Package height	20 mm
Package weight	105 g
Package type	Box
Packaging content	
Feature	Quick start guide
Operational conditions	
Minimum operating temperature	0 °C
Maximum operating temperature	40 °C
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 70 °C
Operating relative humidity (H-H)	10 - 85%
Logistics data	
Pallet gross width	100 cm
Pallet gross length	120 cm
Pallet gross height	120 cm
Pallet gross weight	265 kg
Master (outer) case width	256 mm
Master (outer) case length	345 mm
Master (outer) case height	236 mm

Master (outer) case gross weight	5.5 kg
Technical details	
Pallet net height	12 cm
Pallet net length	120 cm
Pallet net width	100 cm
Pallet net weight	12 kg
Compliance certificates	CE, Electromagnetic Compatibility (EMC), Federal Communications Commission (FCC), Low Voltage Directive (LVD), REACH, RoHS, UKCA