

LEVEL ONE

Switch LevelOne GES-2128, 24x Gigabit RJ45, 4x Gigabit SFP/RJ45 Combo, Layer 2, Switching Capacity 56Gbps, VLAN, QoS, Rackmount 19" - Zezë

SKU: 26030167 · EAN: 4015867229286

SPECIFIKAT TEKNIKE

73 specifikat e produktit

ATRIBUTI	VLERA
Management features	
Switch type	Managed
Switch layer	L2
Feature	Quality of Service (QoS) support
Feature	Web-based management
Ports & interfaces	
Basic switching RJ-45 Ethernet ports quantity	24
Basic switching RJ-45 Ethernet ports type	Gigabit Ethernet (10/100/1000)
Gigabit Ethernet (copper) ports quantity	24
Combo SFP ports quantity	4
Network	
Networking standards	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z
Copper ethernet cabling technology	10BASE-T, 100BASE-TX, 1000BASE-T
Feature	Port mirroring
Feature	Full duplex
Feature	Flow control support
Feature	Link aggregation
Feature	Broadcast storm control
Feature	Rate limiting
Feature	MAC address auto-learning supported
Feature	MAC address auto-aging supported
Feature	VLAN support
Virtual LAN features	Tagged VLAN
Number of VLANs	32
Data transmission	

Switching capacity	56 Gbit/s
MAC address table	8000 entries
Number of queues	4
Feature	Jumbo frames support
Jumbo frames	9000
Packet buffer memory	4.1 MB
Security	
Feature	IGMP snooping
Multicast features	
Feature	Multicast support
Design	
Feature	Rack mounting
Product colour	Black
LED indicators	Activity, Link, Power, System
Performance	
Flash memory	2 MB
Noise level	0 dB
Feature	Fanless
Mean time between failures (MTBF)	43800 h
Power	
Power source	AC
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Power consumption (max)	20 W
Feature	Surge protection
Surge protection voltage	8 kV
Operational conditions	
Operating temperature (T-T)	0 - 45 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 95%
Heat dissipation	68.24 BTU/h
Weight & dimensions	
Width	440 mm
Depth	190 mm

Height	44.5 mm
Weight	1.95 kg
Packaging content	
Cables included	AC
Feature	Quick start guide
Feature	Rack mount kit
Packaging data	
Package type	Box
Package width	503 mm
Package depth	270 mm
Package height	85 mm
Package weight	2.55 kg
Sustainability	
Feature	Sustainability compliance
Technical details	
Master (outer) cases per pallet (air)	20 pc(s)
Pallet gross length	80 cm
Pallet gross width	120 cm
Pallet height (air)	159.4 cm
Certificates	
Compliance certificates	CE, RoHS
Certification	UKCA, FCC Class A
Logistics data	
Master (outer) case net weight	750 g
Country of origin	China
Master (outer) case width	515 mm
Master (outer) case length	360 mm
Master (outer) case height	290 mm
Master (outer) case gross weight	10.9 kg
Products per master (outer) case	4 pc(s)