

GRANDSTREAM

Intercom Video IP Grandstream GDS3726, kamerë 4MP, PoE, RFID, NFC - Hiri

SKU: 26029406 · EAN: 6947273705680

SPECIFIKAT TEKNIKE	
49 specifikat e produktit	
ATRIBUTI	VLERA
Technical details	
Connectivity technology	Wired & Wireless
Feature	Speakerphone
Feature	RFID reader
Feature	Built-in microphone
Feature	Motion detection function
Certification	FCC, CE, RCM, IC
Display	
Video formats supported	H.264
Feature	Wide Dynamic Range (WDR)
Camera	
Megapixel (approx.)	4 MP
Optical sensor size	25.4 / 3 mm (1 / 3")
Maximum frame rate	30 fps
Field of view (FOV) angle	152°
Viewing angle. horizontal	127°
Viewing angle. vertical	70°
Night vision	
Feature	Night vision
Number of illumination LEDs	6
Audio	
Feature	Built-in speaker(s)
Number of speakers	1
Speaker power	3 W
Voice codecs	G.711, G.722, G.726-32, G.729
Design	
Product colour	Grey

International Protection (IP) code	IP66
IK code	IK10
Control type	Buttons
Placement supported	Vertical
Proper use	Outdoor
Storage	
Feature	Memory card slot
Compatible memory cards	SD
Maximum memory card size	256 GB
Outdoor unit	
RS-485 ports (transmitter)	1
Network	
Ethernet interface type	Fast Ethernet
Ethernet LAN data rates	10,100 Mbit/s
Ethernet LAN (RJ-45) ports	1
Feature	Bluetooth
Cabling technology	10/100Base-T(X)
Feature	Power over Ethernet (PoE)
Power	
Outdoor unit power type	DC/PoE
Power consumption (typical)	12 W
Operational conditions	
Operating temperature (T-T)	-30 - 60 °C
Storage temperature (T-T)	-30 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Weight & dimensions	
Width	87 mm
Depth	35.5 mm
Height	204 mm
Weight	1.55 kg
Packaging data	
Feature	Outdoor unit included
Package weight	1.73 kg
Packaging content	
Feature	Quick start guide

Logistics data

Quantity per pack

1 pc(s)