AVOCOR__

Interaktiv (Smart Board) Avocor AVS-8610E, 86", 4K UHD, Touch 40 Pika, 8GB RAM, 64GB, 3× HDMI, HDMI Out, USB-C, 4× USB-A - Zezë

SKU: 16011795 · EAN: 0858323007981

SPECIFIKAT TEKNIKE

92 specifikat e produktit

ATRIBUTI	VLERA
Display	
Display diagonal	2.18 m (86")
Display brightness	350 cd/m²
Display number of colours	1.07 billion colours
Display resolution	3840 x 2160 pixels
Feature	Anti-glare screen
HD type	4K Ultra HD
Feature	LED backlight
LED backlighting type	Direct-LED
Native aspect ratio	16:9
Contrast ratio (typical)	5000:1
Response time	6.5 ms
Maximum refresh rate	60 Hz
Feature	Touchscreen
Touch technology	Multi-touch
Touchscreen type	Infrared
Number of simultaneous touchpoints	40
Viewing angle. horizontal	178°
Viewing angle. vertical	178°
Screen glass thickness	3.2 mm
Hardness	7H
Feature	Pen & touch differentiation
Technology	Infrared (IR)
Computer system	
Operating system installed	Android
Operating system version	13

Feature	Built-in processor
Processor architecture	ARM Cortex-A55
Processor cores	4
Maximum internal memory	64 GB
RAM capacity	8 GB
Graphics card family	ARM
Graphics card	Mali-G51 MP2
Audio	
Feature	Built-in speaker(s)
Number of built-in speakers	2
Speaker power	32 W
Network	
Feature	Wi-Fi
Top Wi-Fi standard	Wi-Fi 6 (802.11ax)
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
Feature	Bluetooth
Feature	Ethernet LAN
Ports & interfaces	
Interface	USB / RF Wireless
Feature	HDCP
HDCP version	2.2
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4
USB 2.0 ports quantity	3
USB connector type	USB Type-A, USB Type-B, USB Type-C
HDMI ports quantity	4
USB Type-C ports quantity	1
Feature	USB Type-C DisplayPort Alternate Mode
HDMI output ports quantity	1
Feature	USB Power Delivery (USB PD)
USB Power Delivery up to	65 W
Ethernet LAN (RJ-45) ports	2
VGA (D-Sub) ports quantity	1
Feature	Line-in
Feature	Line-out
OPS slot	1

Feature	S/PDIF out port
RS-232 ports	1
Ergonomics	
Product colour	Black
Feature	VESA mounting
Panel mounting interface	800 x 600 mm
Feature	Wall mountable
Performance	
Feature	Ambient light sensor
Operating hours (hours/days)	16/7
Power	
Power consumption (max)	520 W
Power consumption (standby)	0.5 W
AC input voltage	100 - 240 V
AC input frequency	50 / 60 Hz
System requirements	
Windows operating systems supported	Windows 10, Windows 11, Windows 8
Feature	Mac compatibility
Mac operating systems supported	Yes
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 90%
Storage temperature (T-T)	-20 - 60 °C
Storage relative humidity (H-H)	10 - 90%
Weight & dimensions	
Width	1957 mm
Depth	1160 mm
Height	100 mm
Weight	58.5 kg
Packaging data	
Package width	2110 mm
Package depth	225 mm
Package height	1283 mm
Package weight	72.7 kg
Packaging content	

Feature	Pen tray included
Feature	Remote control included
Feature	Batteries included
Feature	Mounting brackets included
Feature	Stylus included
Stylus pen type	Passive
Number of stylus pens	2
Other features	
Warranty period	3 year(s)
Country of origin	China