STARTECH.COM LIMITED

Docking Station StarTech Multiport Adapter / HDMI / VGA / DisplayPort / USB A + USB C – Gri

SKU: 26010407 · EAN: 0065030887014

SPECIFIKAT TEKNIKE

51 specifikat e produktit

ATRIBUTI	VLERA
Ports & interfaces	
Connectivity technology	Wired
Host interface	USB 3.2 Gen 2 (3.1 Gen 2) Type-C
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	100 W
HDMI ports quantity	1
HDMI version	2.0b
VGA (D-Sub) ports quantity	1
Microphone in	No
DC-in jack	No
USB Type-C DisplayPort Alternate Mode	Yes
Network	
Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100,1000 Mbit/s
Full duplex	Yes
Performance	
Card reader integrated	No
Data transfer rate	10 Gbit/s
HD type	4K Ultra HD
Maximum digital resolution	3840 x 2160 pixels
Maximum analog resolution	1920 x 1200 pixels
Maximum refresh rate	60 Hz
Product colour	Grey

High Dynamic Range 10 (HDR10)	Yes
LED indicators	Activity, Link
UASP support	Yes
Power	
Power source type	USB
Power consumption (typical)	12 W
Wireless charging	No
Software	
Other operating systems supported	ChromeOS
Operational conditions	
Operating temperature (T-T)	0 - 60 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	0 - 90%
Weight & dimensions	
Width	83 mm
Depth	144 mm
Height	28 mm
Weight	170 g
Packaging data	
Package width	144 mm
Package depth	207 mm
Package height	38 mm
Package weight	160 g
Packaging content	
Quick start guide	Yes
Technical details	
Compliance certificates	CE, RoHS
Logistics data	
Products per master (outer) case	20 pc(s)
Master (outer) case width	425 mm
Master (outer) case length	230 mm
Master (outer) case height	330 mm
Harmonized System (HS) code	84733020
Other features	
Cable length	0.25 m

Chipset	Genesys Logic - GL3590, Genesys Logic - GL9510-UFP, Genesys Logic - GL9510-DFP, Realtek - RTD2142, Realtek - RTL8153