FOSCAM

Kamerë Sigurie IP CCTV Foscam V5P, 5MP, 4MP, 4mm, PoE, IP66 - Bardhë

SKU: 26034421 · EAN: 6954836037591

SPECIFIKAT TEKNIKE

74 specifikat e produktit

ATRIBUTI	VLERA
Performance	
Type	IP security camera
Placement supported	Outdoor
Connectivity technology	Wired
Feature	Wide Dynamic Range (WDR)
Virtual assistant	Amazon Alexa & Google Assistant
Feature	Day/night mode
Feature	Built-in light
Colour temperature	4500 K
Antenna type	External
Antennas quantity	1
Certification	FCC, CE, UKCA, WEEE
Design	
Form factor	Bullet
Mounting type	Wall
Product colour	Black, White
International Protection (IP) code	IP66
Feature	Weatherproof
Camera	
Lens viewing angle. horizontal	49.6°
Lens viewing angle. diagonal	107.9°
Image sensor	
Number of sensors	1
Sensor type	CMOS
Lens system	
Feature	Zoom capability
Digital zoom	6x

Number of lenses	1
Maximum aperture number	2.1
Fixed focal length	4 mm
Night vision	
Feature	Night vision
Night vision distance	20 m
LED type	IR
Video	
Maximum resolution	3072 x 1728 pixels
Total megapixels	5 MP
Video formats supported	H.264, H.264+
Supported graphics resolutions	1280 x 720 (HD 720), 1920 x 1080 (HD 1080), 3072 x 1728
Supported video modes	720p, 1080p
Frame rate	25 fps
Feature	Video streaming
Image quality adjustment	Brightness, Contrast, Saturation, Sharpness
Feature	Flip & mirror
Audio	
Feature	Built-in speaker(s)
Audio system	2-way
Audio formats supported	AAC, PCM
Feature	Built-in microphone
Network	
Feature	Ethernet LAN
Ethernet interface type	Fast Ethernet
Supported network protocols	IP, TCP, UDP, SMTP, FTP, RTSP
Feature	Wi-Fi
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Streaming method	Multicast
Storage	
Feature	Card reader integrated
Compatible memory cards	MicroSD (TransFlash)
Maximum memory card size	256 GB
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1

Security	
Feature	Built-in siren
Siren noise level	100 dB
Feature	Video motion detection
Security algorithms	WPA, WPA2
Alert notification type	E-mail
Intelligent Video Surveillance (IVS) system features	Human detection, Vehicle detection
Power	
Power source type	DC
Power consumption (max)	5 W
DC output voltage	12
DC output current	1 A
Operational conditions	
Operating temperature (T-T)	-20 - 50 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 85%
Storage relative humidity (H-H)	0 - 90%
System requirements	
Windows operating systems supported	Yes
Mac operating systems supported	Yes
Mobile operating systems supported	Android, iOS
Weight & dimensions	
Width	66 mm
Depth	170 mm
Height	66 mm
Weight	346 g
Sustainability	
Compliance certificates	RoHS
Packaging content	
Number of cameras	1