

STARTECH

Adapter rrjeti StarTech.com USB2100, USB-A 2.0 në RJ-45, Ethernet 10/100 Mbit/s - Zezë

SKU: 26032092 · EAN: 0065030856645

SPECIFIKAT TEKNIKE	
63 specifikat e produktit	
ATRIBUTI	VLERA
Ports & interfaces	
Connectivity technology	Wired
Host interface	USB
Interface	Ethernet
Ethernet LAN (RJ-45) ports	1
Network	
Maximum data transfer rate	200 Mbit/s
Networking standards	IEEE 802.1Q, IEEE 802.3i, IEEE 802.3u
Feature	Ethernet LAN
Ethernet LAN data rates	10,100 Mbit/s
Cabling technology	10/100BaseT(X)
Feature	Auto MDIX IEEE
Feature	Full duplex
Feature	VLAN tagging
Maximum operating distance	100 m
Host interface	USB 2.0
Networking standards	IEEE 802.3i, IEEE 802.3u, IEEE 802.1Q
Ethernet LAN data rates	10/100 Mbit/s
Maximum data transfer rate	100 Mbit/s
Design	
Product colour	Black
Chipset	ASIX - AX88772C
LED indicators	Activity, Link
Mean time between failures (MTBF)	76600 h
Power	
Feature	USB powered

System requirements	
Linux operating systems supported	Yes
Other operating systems supported	ChromeOS
Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2016, Windows Server 2019
Operational conditions	
Operating temperature (T-T)	10 - 40 °C
Storage temperature (T-T)	-20 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Operating temperature	10 - 40 °C
Storage temperature	-20 - 70 °C
Operating relative humidity	10 - 90%
Sustainability	
Feature	Sustainability compliance
Weight & dimensions	
Width	20 mm
Depth	65 mm
Height	14 mm
Weight	23 g
Packaging data	
Feature	Drivers included
Package width	173 mm
Package depth	146 mm
Package height	33 mm
Package weight	129 g
Packaging content	
Feature	Manual
Technical details	
Compliance certificates	CE, RoHS
Chipset	ASIX AX88772C
Logistics data	
Harmonized System (HS) code	85176990
Master (outer) case width	368 mm
Master (outer) case length	340 mm
Master (outer) case height	324 mm
Products per master (outer) case	40 pc(s)

HS Code	85176990
Master case width	368 mm
Master case length	340 mm
Master case height	324 mm
Products per master case	40 pc(s)
Other features	
Housing material	Plastic
Features	
Auto MDIX	Yes
Full duplex	Yes
VLAN tagging	Yes
USB powered	Yes
Endurance	
MTBF	76600 h
Software	
Windows Server support	Windows Server 2003, 2008 R2, 2012, 2016, 2019
Linux support	Yes
ChromeOS support	Yes