

Cudy AX3000 Gigabit Wall-Plate Wi-Fi 6 Access 2976 Mbit/s Weiß Power over Ethernet (PoE)





Marke : Cudy

Artikel-Code: AP3000 WALL

Produktname : AX3000 Gigabit Wall-Plate Wi-Fi 6 Access

- 1,3 GHz Dual-Core-CPU
- 2402 Mbit/s + 574 Mbit/s WLAN
- 1× GbE PoE In, 1× GbE PoE Out, 3× GbE
- 802.3at/af, Passives PoE
- PoE-Passthrough
- Watchdog, Zeitplan-Neustart
- Multi-AP-Management
- Captive Portal, Multi-SSID
- Deckt 60 m² (650 ft²) ab
- 60 verbundene Geräte

AX3000 Wall-Plate Wi-Fi 6 Access Point, AP3000 Wall
Cudy AX3000 Gigabit Wall-Plate Wi-Fi 6 Access. 2,4 GHz, 5 GHz, Maximale Datenübertragungsrate: 2976 Mbit/s. Unterstützte Sicherheitsalgorithmen: WPA, WPA2, WPA3. Ethernet LAN Datentransferraten: 10,1000,100 Mbit/s. Power over Ethernet (PoE). Produktfarbe: Weiß. Stromverbrauch (max.): 12 W

Merkmale	
2,4 GHz *	✔
5 GHz *	✔
6 GHz *	✘
Maximale Datenübertragungsrate *	2976 Mbit/s
Maximale Datenübertragungsrate (2,4 GHz)	574 Mbit/s
Maximale Datenübertragungsrate (5 GHz)	2402 Mbit/s
Ethernet LAN Datentransferraten	10,1000,100 Mbit/s
Netzstandard	IEEE 802.11b, IEEE 802.11ac, IEEE 802.11g, IEEE 802.11n, IEEE 802.11ax, IEEE 802.3af, IEEE 802.3at
Bluetooth	✘
MIMO	✔
MIMO-Typ	Multi User MIMO
Spread-Spectrum Methode	OFDMA
VLAN-Unterstützung	✔
Quality of Service (QoS) Support	✔

Sicherheit	
Unterstützte Sicherheitsalgorithmen *	WPA, WPA2, WPA3
MAC Adressen Filtern	✔
Anzahl der SSID-Unterstützung	8
Gastzugang	✔
Kontrolle durch Eltern	✔
IGMP-Snooping	✔

Energie	
Stromverbrauch (Standardbetrieb)	5 W
Stromverbrauch (max.)	12 W

Design	
Platzierung *	Wand
Produktfarbe *	Weiß
Reset-Knopf	✔
LED-Anzeigen	System

Antenne	
Antennentyp *	Intern
Antennenrichtungsart	Mit kugelförmiger Richtcharakteristik
Anzahl der Antennen	3

Leistungen	
Flash-Speicher	128 MB

Technische Details	
Menge pro Versandkarton	30 Stück(e)

Gewicht und Abmessungen	
Breite	143 mm
Tiefe	86 mm
Höhe	27,6 mm
Gewicht	298,6 g

Verpackungsdaten	
Verpackungsbreite	152 mm
Verpackungstiefe	39,5 mm
Verpackungshöhe	90 mm

Protokolle	
DHCP-Server	✔

Management-Funktionen	
Syslog	✔
Cloud-verwaltet	✔

Anschlüsse und Schnittstellen	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	5
WAN Port	Ethernet (RJ-45)

Energie	
Power over Ethernet (PoE) *	✔
Power-over-Ethernet (PoE)-Typ unterstützt	Passive PoE

Verpackungsdaten	
Paketgewicht	400,5 g

Lieferumfang	
AC-Netzadapter	✘
PoE-Adapter enthalten (Power over Ethernet)	✘
Montageset	✔
Schnellstartübersicht	✔
Mitgelieferte Software	Cudy Software

Betriebsbedingungen	
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Betriebstemperatur	0 - 40 °C
Temperaturbereich bei Lagerung	-40 - 70 °C
Luftfeuchtigkeit bei Lagerung	5 - 90%

Logistikdaten	
Ursprungsland	China

6971690793388

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 01-JUL-2026. Prints or copies of Information are only valid on the printed Publication date