

AXIS

Kamerë Sigurie IP CCTV Axis 03396-001, Dome, 1/1.8", 3.76mm, 124° - Zezë

SKU: 26032621 · EAN: 7331021093317

SPECIFIKAT TEKNIKE	
49 specifikat e produktit	
ATRIBUTI	VLERA
Performance	
Type	IP security camera
Placement supported	Indoor
Connectivity technology	Wired
Feature	Wide Dynamic Range (WDR)
Feature	Infrared (IR) cut-off filter
Design	
Form factor	Dome
Mounting type	Ceiling
Product colour	Black
International Protection (IP) code	IP42
Camera	
Feature	Camera pan control
Feature	Camera tilt control
Minimum illumination	0.05 lx
Feature	Rotating
Angle of rotation	350°
Lens viewing angle. horizontal	124°
Lens viewing angle. vertical	66°
Tilt angle range	-57 - 57°
Pan range	-175 - 175°
Camera shutter speed	1/66000 - 1/5 s
Image sensor	
Optical sensor size	25.4 / 1.8 mm (1 / 1.8")
Sensor type	CMOS
Lens system	
Number of lenses	1

Maximum aperture number	2
Fixed focal length	3.76 mm
Night vision	
Feature	Night vision
LED type	IR
Video	
Maximum resolution	3840 x 2160 pixels
Total megapixels	8 MP
Video compression formats	H.264, H.265
Frame rate	15 fps
Feature	Video intelligence analytic
Audio	
Feature	Audio detection
Network	
Feature	Ethernet LAN
Feature	Quality of Service (QoS) support
Storage	
Feature	Card reader integrated
Compatible memory cards	MicroSD (TransFlash), MicroSDHC, MicroSDXC
Flash memory	8000 MB
RAM capacity	2000 MB
Security	
Feature	Video motion detection
Feature	Privacy protection
Intelligent Video Surveillance (IVS) system features	Vehicle detection, Human detection, Line crossing detection, Moving object, Region entrance detection
Power	
Power source type	PoE
Power consumption (max)	3.9 W
Operational conditions	
Operating temperature (T-T)	0 - 45 °C
Storage temperature (T-T)	-40 - 65 °C
Operating relative humidity (H-H)	10 - 85%
Storage relative humidity (H-H)	5 - 95%
Weight & dimensions	
Weight	235 g

Packaging content

Number of cameras	1
-------------------	---
